




BEARING MANUFACTURING DE MEXICO,S.A.D...

1-3/8 in x 1-5/8 in x 1/2 in Koyo NRB J-228 Drawn Cup Needle Roller Bearings



Bearing No. J-228

J-228 Bearing 2D drawings and 3D CAD models

Size	34.925x41.275x12.70 mm
Bore Diameter	34.925 mm
Outer Diameter	41.275 mm
Width	12.70 mm
Fw	34.925 mm
D	41.275 mm
C	12.70 mm
Weight	0.024 Kg
Basic dynamic load rating (C)	13.97 kN
Basic static load rating (C0)	22.91 kN
(Grease) Lubrication Speed	6000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	103.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.022
EAN	0060579021691
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



BEARING MANUFACTURING DE MEXICO,S.A.D...

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1-3/8" Bore; 1-5/8" Outside Diameter; 1/2" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of R
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	J-228
Weight / LBS	0.052
Bore	1.375 Inch 34.925 Millimeter
Outside Diameter	1.625 Inch 41.275 Millimeter
Width	0.5 Inch 12.7 Millimeter
Bearing No.	J-228
Y(max)	1.02
Cr	13.97
C0r	22.91
Cu	3.50
Grease lub.	6000



BEARING MANUFACTURING DE MEXICO,S.A.D...

Oil lub.	9200
(Refer.)Mass(kg)	0.024
Mounting inner ring	IR-1812